



REF : 3433-3434-3435-3502-3503-3504
LOT : 226
2019-02-19

Coulter Counter Models (with III Diff. option; for Act see separate table)
MELET MS9 NOTE: Please refer to next page for Erma Values

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include WBC, RBC, Hb, Hct, Hct I/I, MCV, MCH, MCHC, RDW, Plts, MPV, PDW, LYMP, MONO, GRAN, LYMP #, MONO #, GRAN #.

ABX Roche: Micros 60, Micros ES 60; Bayer: Advia 60

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include WBC, RBC, Hb, Hct, Hct I/I, MCV, MCH, MCHC, RDW, Plts, MPV, LYMP, MONO, GRAN, LYMP #, MONO #, GRAN #.

Abbott Cell-Dyn: 1300, 1500, 1600, 1700, 1800 series

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include WBC, RBC, Hb, Hct, Hct I/I, MCV, MCH, MCHC, RDW, Plts, MPV, LYMP, MID, GRAN, LYMP #, MID #, GRAN #.

AVL (Contraves): AVL - 816

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include LYMP %, MONO %, GRAN %, LYMP #, MONO #, GRAN #.

Coulter Counter: Act diff, Act diff 2

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include WBC, RBC, Hb, Hct, Hct I/I, MCV, MCH, MCHC, RDW, Plts, MPV, LYMP, MONO, GRAN, LYMP #, MONO #, GRAN #.

Coulter Counter: Act 8, Act 10

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include LYMP %, LYMP #.

Nihon Kohden: Celltac and MEK series (not for 5-part diff)

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include WBC, RBC, Hb, Hct, Hct I/I, MCV, MCH, MCHC, RDW, Plts, MPV, LYMP, MONO, GRAN, LYMP #, MONO #, GRAN #.

Danam/Drew Excel18=MWI BT2100, D3; Orphee Mythic18; Abbott Emerald18

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include WBC, RBC, Hb, Hct, Hct I/I, MCV, MCH, MCHC, RDW, Plts, MPV, LYMP, MONO, GRAN, LYMP #, MONO #, GRAN #.

AVL (Contraves): AVL - 818

Table with 3 columns: Parameters, LOW (Mean, Range ±), NORMAL (Mean, Range ±), HIGH (Mean, Range ±). Rows include LYMP %, MONO %, GRAN %, LYMP #, MONO #, GRAN #.

